# Package: SampleSize4ClinicalTrials (via r-universe)

October 17, 2024

Type Package
<b>Title</b> Sample Size Calculation for the Comparison of Means or Proportions in Phase III Clinical Trials
Version 0.2.3
Author Hongchao Qi, Fang Zhu
Maintainer Hongchao Qi <hcqi1992@gmail.com></hcqi1992@gmail.com>
Description There are four categories of Phase III clinical trials according to different research goals, including (1) Testing for equality, (2) Superiority trial, (3) Non-inferiority trial, and (4) Equivalence trial. This package aims to help researchers to calculate sample size when comparing means or proportions in Phase III clinical trials with different research goals.
Encoding UTF-8
LazyData true
RoxygenNote 7.1.1
License GPL-3
NeedsCompilation no
<b>Date/Publication</b> 2021-01-09 00:20:09 UTC
Repository https://qihongchao.r-universe.dev
RemoteUrl https://github.com/cran/SampleSize4ClinicalTrials
RemoteRef HEAD
<b>RemoteSha</b> addf427acdc8b0809c6eaa78432ea48f91e9b2e7
Contents
SampleSize4ClinicalTrials2ssc_meancomp2ssc_propcomp3
Index 5

2 ssc\_meancomp

SampleSize4ClinicalTrials

Sample Size Calculation for the Comparison of Means or Proportions in Phase III Clinical Trials

# **Description**

There are four categories for Phase III clinical trials according to different research goals, including (1) Testing for equality, (2) Superiority trial, (3) Non-inferiority trial, and (4) Equivalence trial. This package aims to help researchers to calculate sample size when comparing means or proportions in Phase III clinical trials with different research goals.

## Author(s)

Hongchao Qi, Fang Zhu

ssc_meancomp	Sample Size Calculation for the Comparison of Means in Phase III Clinical Trials

## **Description**

This function aims to calculate sample size for the comparison of means in Phase III clinical trials.

#### Usage

```
ssc_meancomp(design, ratio, alpha, power, sd, theta, delta)
```

# **Arguments**

design	The design of the clinical trials.
	1L
	Testing for equality
	2L
	Superiority trial
	3L
	Non-inferiority trial
	4L
	Equivalence trial.
ratio	The ratio between the number of subjects in the treatment arm and that in the control arm
alpha	Type I error rate
power	Statistical power of the test (1-type II error rate)
sd	The standard deviation of observed outcomes in both arms
theta	The true mean difference between two arms
delta	The prespecified superiority, non-inferiority or equivalence margin

ssc\_propcomp 3

## Value

samplesize

#### References

Chow S, Shao J, Wang H. 2008. Sample Size Calculations in Clinical Research. 2nd Ed. Chapman & Hall/CRC Biostatistics Series.

Yin, G. 2012. Clinical Trial Design: Bayesian and Frequentist Adaptive Methods. John Wiley & Sons.

# **Examples**

```
##The comparison of means, a non-inferiority trial and the non-inferiority margin is -0.05 ssc_meancomp(design = 3L, ratio = 1, alpha = 0.05, power = 0.8, sd = 0.1, theta = 0, delta = -0.05)
```

ssc_propcomp	Sample Size Calculation for the Comparison of Proportions in Phase III Clinical Trials
--------------	--

# Description

This function aims to calculate sample size for the comparison of proportions in Phase III clinical trials.

# Usage

```
ssc_propcomp(design, ratio, alpha, power, p1, p2, delta)
```

# Arguments

design	The design of the clinical trials.
	1L
	Testing for equality
	2L
	Superiority trial
	3L
	Non-inferiority trial
	4L
	Equivalence trial.
ratio	The ratio between the number of subjects in the treatment arm and that in the control arm.
alpha	Type I error rate
power	Statistical power of the test (1-type II error rate)
p1	The true mean response rate of the treatment arm
p2	The true mean response rate of the control arm
delta	The prespecified superiority, non-inferiority or equivalence margin

4 ssc\_propcomp

## Value

sample size

## References

Chow S, Shao J, Wang H. 2008. Sample Size Calculations in Clinical Research. 2nd Ed. Chapman & Hall/CRC Biostatistics Series.

Yin, G. 2012. Clinical Trial Design: Bayesian and Frequentist Adaptive Methods. John Wiley & Sons.

# **Examples**

##The comparison of proportions, an equivalence trial and the equivalence margin is  $0.2 \text{ ssc\_propcomp}(\text{design} = 4L, \text{ ratio} = 1, \text{ alpha} = 0.05, \text{ power} = 0.8, \text{ p1} = 0.75, \text{ p2} = 0.80, \text{ delta} = 0.2)$ 

# **Index**

```
SampleSize4ClinicalTrials, 2
ssc_meancomp, 2
ssc_propcomp, 3
```